

Revolution Oil Limited
Dagnall Road
Great Gaddesden
Hemel Hempstead
Hertfordshire
HP1 3BP
England

Tel: +44 (0) 1442 842999 Fax: +44 (0) 1442 842777

www.revolutionoil.co.uk

sales@revolutionoil.co.uk enquiries@revolutionoil.co.uk

Registered in England & Wales No.4356026

VAT Reg No.GB 815 3964 16

**Technical Data Sheet** 

**Euclid 15w/40 E9** 







# Euclid 15w/40 E9

**Engine Oils** 

### **Description**

Revolution Euclid 15w/40 is the very latest, new generation Super High Performance heavy duty diesel engine oil formulated to meet the latest Euro V and VI low emissions requirements. This advanced lubricant utilises the latest mid SAPs addititve technology which helps protect after treatment systems.

# **Application**

Revolution Euclid 15w/40 is recommended for trucks fitted with the latest high performance diesel engines meeting Euro V and VI environmental requirements. It is also suitable for many buses, tractors, and off-highway applications. Extended oil drain intervals can be applied as indicated by the OEM for high quality diesel engine oils.

#### **Performance Level**

- ACEA E7/E9
- API CJ-4/CK-4
- VOLVO VDS-4.5/4
- RENAULT RLD-4/-3
- MB 228.31
- MAN 3575
- MAN 3275
- MTU TYPE 2.1
- MACK EOS 4.5
- CUMMINS CES 20081/20086
- DETROIT DDC 93K218/K222
- FORD M2C 171-F1
- JASO DH-2

#### **Benefits**

Updated: 18th April 2019 Page 2 of 3 Euclid 15w/40 E9





- Minimises diesel particulate filter (DPF/CRT) plugging
- Protects catalytic after treatment systems (SCR)
- Excellent protection agains bore polishing and cam wear
- Offers prolonged oil drain intervals and reduces maintenance costs
- Provides quick lubrication after cold starting thus limiting engine wear
- Backwards compatible to older models

## **Typical Inspection Data**

	Units	Inspection Data
Viscosity Grade SAE		15w/40
Kinematic Viscosity 100°C	mm²/s	11.8
Kinematic Viscosity 40°C	mm²/s	78
Viscosity Index		145
Total Base Number	mgKOH/g	9.5
Pour Point	°C	-35
Flash Point	°C	210

<sup>\*\*</sup>In line with our policy of continued improvement, Revolution Oil Ltd reserves the right to change specification and availability without prior notice. E and O E.\*\*

Updated: 18th April 2019 Page 3 of 3 Euclid 15w/40 E9