

Revolution Oil Limited Dagnall Road, Great Gaddesden Hemel Hempstead Hertfordshire HP1 3BP England

Tel: +44 (0) 1442 842999

www.revolutionoil.co.uk www.q8oils.co.uk

sales@revolutionoil.co.uk enquiries@revolutionoil.co.uk

Registered in England & Wales No.4356026

VAT Reg No. GB 815 3964 16



Technical Data Sheet

Pascal 5w/30 C3





Technical Data Sheet

Pascal 5w/30 C3

Low SAPS Fully Synthetic Engine Oils

Description

Pascal 5w/30 is a new generation of fully synthetic, low SAPS engine oil. Formulated using the latest developments in synthetic technology.

Pascal 5w/30 is a low SAPS engine oil developed to enable excellent performance alongside emission control after treatment systems. This product ensures excellent performance of emissions systems including the diesel particulate filter thus ensuring minimal pollution to the atmosphere.

Performance Level

- API SM/CF
- ACEA C3
- BMW LL-04
- MB 229.31

Benefits

- Fuel economy
- Extended drain intervals
- Excellent engine cleanliness
- Long term anti wear properties
- Exceptional high and low temperature pumpability

Typical Inspection Data

Kinematic Viscosity @ 40°C (cSt)	72.3
Kinematic Viscosity @ 100°C (cSt)	11.8
Viscosity Index	160
Sulphated Ash Content % (weight)	0.773
TBN (mg KOH/g)	7.8
CCS @ -30 °C (cP)	6080
Flash Point (°C)	212



Technical Data Sheet

In line with our policy of continued improvement, Revolution Oil Ltd reserves the right to change specification and availability without prior notice. E and O E.