

Revolution Oil Limited
Dagnall Road,
Great Gaddesden
Hemel Hempstead
Hertfordshire
HP1 3BP
England

Tel: +44 (0) 1442 842999

www.revolutionoil.co.uk www.q8oils.co.uk

sales@revolutionoil.co.uk enquiries@revolutionoil.co.uk

Registered in England & Wales No.4356026

VAT Reg No. GB 815 3964 16



Technical Data Sheet

Super Universal Tractor Oil 10w/30





Super Universal Tractor Oil 10w/30

Universal Oils

Description

A premium quality multigrade super universal tractor oil manufactured from solvent refined paraffinic base oils blended with additives which are specially selected to give high performance in various applications on the modern tractor .

Application

Engine, transmission (including wet brakes) and hydraulic systems of agricultural tractors. Suitable for turbocharged and naturally aspirated diesel engines, also TVO and petrol engines.

Performance Level

- API CE/SF
- M2C 159 C1, MF 1135, HF 1139
- and meets the service requirements of JD, J20A, J20C, M2C 86B, MS 1207, API GL4
- MIL-L-2104E, MIL-L-46152C

Benefits

- Universal application reduces lubricant stock levels and prevents misapplication
- Reduced engine deposits and oil thickening. Improved wear protection
- Excellent anti-corrosion properties which protects all working components

Typical Inspection Data

Specific Gravity @ 16 de	grææ7centigrade
Kinematic Viscosity @ 10	0106 grees centigrade
Kinematic Viscosity @ 40	₫ 0 grees centigrade
Viscosity Index	142
Flash Point degrees centi	g rađ e
Pour Point degrees cention	r 36 e





In line with our policy of continued improvement.	Revolution Oil Ltd reserves the right to change specification	and availability without prior notice. E and O E.
, , , , , , , , , , , , , , , , ,	9 9	