

Revolution Oil Limited Dagnall Road, Great Gaddesden Hemel Hempstead Hertfordshire HP1 3BP England

Tel: +44 (0) 1442 842999

www.revolutionoil.co.uk www.q8oils.co.uk

sales@revolutionoil.co.uk enquiries@revolutionoil.co.uk

Registered in England & Wales No.4356026

VAT Reg No. GB 815 3964 16



## **Technical Data Sheet**

### **Dexron III ATF**





# Technical Data Sheet

### Dexron III ATF

Gear & Transmission Oils

#### Description

Revolution Dexron III is a multi purpose automatic transmission fluid for commercial and passenger car gearboxes meeting a wide range of performance levels. This product is manufactured from premium synthetic base stocks and high quality solvent refined base oils. The specially selected additives and friction modifiers produce a durable transmission fluid, with a prolonged product life under the most severe conditions.

This product is dyed red to help prevent mis-application in engines.

#### Application

Revolution Dexron III is recommended for use in automatic transmissions of passenger cars, trucks and buses where Dexron IID, Dexron III and Ford Mercon fluids are specified.

#### Performance Level

- GENERAL MOTORS DEXRON IIIH, IIIG
- GENERAL MOTORS DEXRON IID
- FORD MERCON
- ALLISON C-4, TES-389
- MERCEDES BENZ 236.1, 236.9, 236.7, 236.6, 236.5, 236.10
- MAN 339F, 339 V1&Z1, 339 V2 & Z2
- ZF TE-ML 02F, 03D, 04D, 09, 11A, 11B, 14A, 14B, 16L, 17C
- VOITH DIWA & MIDIMAT (G607) 55.6335, 55.6336
- VOLVO 97341, 97340
- CATERPILLAR TO-2

#### **Benefits**

- Constant frictional performance
- Excellent oxidation stability
- High temperature operation stability



# Technical Data Sheet

- Outstanding wear protection and component life
- Low temperature fluidity
- Can be used as a power steering fluid
- Compatibility with all elastomers and other sealing materials

#### **Typical Inspection Data**

	Units	Inspection Data
Density 156 °C	Kg/m³	0.882
Kinematic Viscosity 100	°nûm²/s	8.32
Flash Point °C		205
Appearance		Red

\*\*In line with our policy of continued improvement, Revolution Oil Ltd reserves the right to change specification and availability without prior notice. E and O E.\*\*