

# Revolution Oil

Revolution Oil Limited  
Dagnall Road,  
Great Gaddesden  
Hemel Hempstead  
Hertfordshire  
HP1 3BP  
England

Tel: +44 (0) 1442 842999

[www.revolutionoil.co.uk](http://www.revolutionoil.co.uk)  
[www.q8oils.co.uk](http://www.q8oils.co.uk)

[sales@revolutionoil.co.uk](mailto:sales@revolutionoil.co.uk)  
[enquiries@revolutionoil.co.uk](mailto:enquiries@revolutionoil.co.uk)

Registered in England & Wales  
No.4356026

VAT Reg No. GB 815 3964 16

**Q8 Oils**  
*authorised distributor*

## Technical Data Sheet

### Omicron 5w/30 C2

## Omicron 5w/30 C2

Low SAPS Fully Synthetic Engine Oils

### Description

Revolution Omicron C2 5w/30 is an ultra high performance SAE 5w/30 low SAPs engine oil for Peugeot Citroen Euro 4 and Euro 5 engines with or without a DPF.

### Application

Revolution Omicron C2 5w/30 is an engine oil for passenger cars and commercial vehicles with normally aspirated or turbo-charged gasoline, LPG or diesel Euro 4 or 5 engines requiring low SAPS engine oil. It is especially developed for Peugeot Citroen Euro 4 and 5 engines requiring PSA B71 2290 engine oil specification. Omicron 5w/30 is also suitable for use with many other vehicles such as Toyota, Honda, Nissan, Lexus, Mitsubishi, Subaru, Suzuki, Chevrolet and Kia.

### Performance Level

-

**ACEA C2**

-

**API SN/CF**

-

**PSA B71 2290**

-

**Fiat 9.55535-S1**

### Benefits

- reduces fuel consumption
- low SAPs formulation protects Exhaust Catalysts and DPFs
- excellent engine cleanliness and wear protection increasing engine durability
- outstanding high and low level temperature performance
- excellent oxidation stability

### Typical Inspection Data

	Units	Inspection Data
Viscosity Grade SAE		5w/30
Kinematic Viscosity 100°C	mm <sup>2</sup> /s	10.0
Kinematic Viscosity 40°C	mm <sup>2</sup> /s	58.0
Viscosity Index		160
TBN (mg KOH/g)		7.8
Pour Point	°C	-45
Flash Point	°C	212

\*\*In line with our policy of continued improvement, Revolution Oil Ltd reserves the right to change specification and availability without prior notice. E and O E.\*\*