

# Revolution Oil

Revolution Oil Limited  
Dagnall Road,  
Great Gaddesden  
Hemel Hempstead  
Hertfordshire  
HP1 3BP  
England

Tel: +44 (0) 1442 842999

[www.revolutionoil.co.uk](http://www.revolutionoil.co.uk)  
[www.q8oils.co.uk](http://www.q8oils.co.uk)

[sales@revolutionoil.co.uk](mailto:sales@revolutionoil.co.uk)  
[enquiries@revolutionoil.co.uk](mailto:enquiries@revolutionoil.co.uk)

Registered in England & Wales  
No.4356026

VAT Reg No. GB 815 3964 16

**Q8 Oils**  
*authorised distributor*

## Technical Data Sheet

Fermat 10w/50 Fully  
Synthetic Racing Oil

# Fermat 10w/50 Fully Synthetic Racing Oil

## Fully Synthetic Engine Oils

### Description

Fermat 10w/50 fully synthetic racing oil has been formulated to ensure high performance in all types of driving conditions. It uses the latest additive technology to meet the highest standards.

This oil provides reduces wear and therefore extends the life of the engine whilst reducing fuel consumption and lowering exhaust emissions.

### Performance Level

- ACEA A3/B4
- API SM
- FARBOUD GTS and other high performance cars

### Benefits

- Provides high oil pressure
- Fully synthetic year round engine lubricant
- Excellent engine performance at extreme driving conditions
- Good cold start capability
- Prevents enging wear
- Reduced fuel consumption due to low volatility of synthetic base oils
- Reduces environmental impact and extends exhaust catalyst life
- Prevents formation of black sludge

### Typical Inspection Data

	Units	Inspection Data
Viscosity Grade SAE		10w/50
Absolute Density 15°C	Kg/m <sup>3</sup>	855
Kinematic Viscosity 100°C	mm <sup>2</sup> /s	17.6
Kinematic Viscosity 40°C	mm <sup>2</sup> /s	119.0
Viscosity Index		163
Borderline Pumping Temp °C		-33

---

Pour Point	°C	-39
Flash Point	°C	215
Viscosity at high temp/high shear rate		>=3.5

\*\*In line with our policy of continued improvement, Revolution Oil Ltd reserves the right to change specification and availability without prior notice. E and O E.\*\*