

Revolution Oil

Revolution Oil Limited
Dagnall Road,
Great Gaddesden
Hemel Hempstead
Hertfordshire
HP1 3BP
England

Tel: +44 (0) 1442 842999

www.revolutionoil.co.uk
www.q8oils.co.uk

sales@revolutionoil.co.uk
enquiries@revolutionoil.co.uk

Registered in England & Wales
No.4356026

VAT Reg No. GB 815 3964 16

Q8 Oils
authorised distributor

Technical Data Sheet

75w/80 Semi Synthetic Gear Oil

75w/80 Semi Synthetic Gear Oil

Gear & Transmission Oils

Description

Revolution semi synthetic 75w/80 is a high performance heavy duty automotive gear oil. This gear oil is manufactured from high quality base oils and high levels of extreme pressure additives to provide a lubricant with outstanding wear protection. This product offers exceeds the performance of other GL4/5 products in terms of synchroniser performance, thermal and oxidation stability, shift quality and fuel efficiency.

Application

For use in high performance manual transmissions, spiral bevel axles, high load drive axles, hypoid axles and steering units. The use of this product will often smooth and improve manual gear changes. This product is also suitable for synchromesh gearboxes. This 75w/80 is recommended for use in a wide variety of manual transmissions in passenger cars and vans that are out of vehicle warranty. This product is also recommended with the performance level of MTF94 is required.

This product is suitable for:

BMW, Citroen, Alfa Romeo, VW, Mini, Peugeot, Fiat, Seat, Mercedes, Renault, Volvo, Skoda, Smart, Dacia, Honda and Vauxhall.

Performance Level

- API GL5
- API GL4

Benefits

- Long service life
- Smoother gear shift
- Exceptional wear and protection
- Thermal and oxidation stability
- seal compatibility
- Corrosion protections
- Pitting resistance

Typical Test Data

SAE Viscosity	75w/80
Appearance	red
Kinematic Viscosity @ 40°	58.0
Viscosity Index	136
Flash Point °C	220
Kinematic Viscosity @ 100°	9.1
Pour Point Degrees Centigrade	-45
Specific Gravity @ 20 °C	0.875

In line with our policy of continued improvement, Revolution Oil Ltd reserves the right to change specification and availability without prior notice. E and O E.